

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	0	"10672367"	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TD B
2	BRS	L2	22	"672367"	US- PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWEN T; IBM_TD B
3	BRS	L3	37	francis.in. and mckeen.in.	USPAT
4	BRS	L4	7	francis.in. and mckeen.in. and stack	USPAT
5	BRS	L6	1	"6697774".pn.	USPAT
6	BRS	L9	49	sharangpani.in.	USPAT
7	BRS	L10	0	sharangpani.in. and hall.in.	USPAT
8	BRS	L13	0	supres\$4 near2 WAW	USPAT
9	BRS	L14	0	suppres\$4 near2 WAW	USPAT
10	BRS	L15	0	suppres\$4 with WAW	USPAT

	Type	L #	Hits	Search Text	DBs
11	BRS	L18	0	gochmann.in.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
12	BRS	L19	47	gochman.in.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
13	BRS	L22	10	(return adj address) with (first adj stack) with (second adj stack)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
14	BRS	L23	2003	(return adj address) with (multiple ajd stack\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
15	BRS	L24	1226	(return adj address) near2 (multiple ajd stack\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
16	BRS	L25	0	(return adj address) near2 (multiple adj stack\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
17	BRS	L27	1403	(return adj address) and stack and exception	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
18	BRS	L29	103	(return adj address) with stack with compar\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
19	BRS	L35	18	buffer near2 overflow near2 management	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
20	BRS	L37	88	(buffer or stack) near2 overflow near2 (management or prevention)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
21	BRS	L38	1372	(buffer or stack) near2 overflow near2 (management or prevent\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
22	BRS	L39	253	(buffer or stack) near2 overflow near2 (management or prevent\$3) and call	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
23	BRS	L41	1	"6697774".pn.	USPAT
24	BRS	L42	49	sharangpani.in.	USPAT
25	BRS	L43	0	sharangpani.in. and hall.in.	USPAT
26	BRS	L44	0	supres\$4 near2 WAW	USPAT
27	BRS	L45	0	suppres\$4 near2 WAW	USPAT
28	BRS	L46	0	suppres\$4 with WAW	USPAT

	Type	L #	Hits	Search Text	DBs
29	BRS	L47	0	gochmann.in.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
30	BRS	L48	47	gochman.in.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
31	BRS	L49	10	(return adj address) with (first adj stack) with (second adj stack)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
32	BRS	L50	2003	(return adj address) with (multiple ajd stack\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
33	BRS	L51	1226	(return adj address) near2 (multiple ajd stack\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
34	BRS	L52	0	(return adj address) near2 (multiple adj stack\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
35	BRS	L53	1403	(return adj address) and stack and exception	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
36	BRS	L54	103	(return adj address) with stack with compar\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
37	BRS	L72	149	712/202.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B



	Type	L #	Hits	Search Text	DBs
38	BRS	L73	362	712/209.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
39	BRS	L74	154	712/211.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
40	BRS	L75	693	712/227.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
41	BRS	L76	102	712/230.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
42	BRS	L77	52	712/231.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
43	BRS	L78	598	712/244.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
44	BRS	L79	1837	712/233-240.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
45	BRS	L80	691	712/245.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
46	BRS	L81	691	712/228.ccls.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
47	BRS	L82	1	"6697774".pn.	USPAT
48	BRS	L83	49	sharangpani.in.	USPAT
49	BRS	L84	0	sharangpani.in. and hall.in.	USPAT
50	BRS	L85	0	supres\$4 near2 WAW	USPAT
51	BRS	L86	0	suppres\$4 near2 WAW	USPAT
52	BRS	L87	0	suppres\$4 with WAW	USPAT

	Type	L #	Hits	Search Text	DBs
53	BRS	L88	0	gochmann.in.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
54	BRS	L89	47	gochman.in.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
55	BRS	L90	10	(return adj address) with (first adj stack) with (second adj stack)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
56	BRS	L91	2003	(return adj address) with (multiple ajd stack\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
57	BRS	L92	1226	(return adj address) near2 (multiple ajd stack\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
58	BRS	L93	0	(return adj address) near2 (multiple adj stack\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
59	BRS	L94	1403	(return adj address) and stack and exception	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
60	BRS	L95	103	(return adj address) with stack with compar\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
61	BRS	L112	129	buffer near2 overflow near2 attack	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
62	BRS	L113	108	buffer adj overflow adj attack	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
63	BRS	L114	72	buffer adj overflow adj attack and stack	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
64	BRS	L116	72	compar\$ near2 return near2 address	USPAT
65	BRS	L117	13	L116 and overflow	USPAT
66	BRS	L120	357	branch near2 condition near2 register	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
67	BRS	L123	1013	condition adj code adj register	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
68	BRS	L124	4584	condition\$3 near2 branch near2 instruction	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
69	BRS	L125	1013	condition adj code adj register	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B



	Type	L #	Hits		Search Text	DBs
70	BRS	L126	1788		(condition adj code adj register) or (processor adj status adj (register or word))	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
71	BRS	L128	1478		(condition adj code adj register) or (processor adj status adj register)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
72	BRS	L130	240586 4	L125	carry	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
73	BRS	L131	3691	conditional near2 branch near2 instruction	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
74	BRS	L132	1013	condition adj code adj register	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
75	BRS	L134	0	"branch on condition" and (condition adj code adj register)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
76	BRS	L135	0	"branch on condition"	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
77	BRS	L136	0	branch near2 condition adj register adj bit adj value	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
78	BRS	L138	0	"5604877.pn"	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
79	BRS	L139	0	"5604877.pn"	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
80	BRS	L140	51	"5604877"	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
81	BRS	L5	1	"6317820".pn.	USPAT
82	BRS	L7	1	"6697774".pn.	USPAT
83	BRS	L8	1	"5761470".pn.	USPAT
84	BRS	L11	1	sharangpani.in. and stop adj bit	USPAT
85	BRS	L12	1	"5930508".pn.	USPAT
86	BRS	L55	1	"6317820".pn.	USPAT
87	BRS	L56	1	"6697774".pn.	USPAT
88	BRS	L57	1	"5761470".pn.	USPAT
89	BRS	L58	1	sharangpani.in. and stop adj bit	USPAT
90	BRS	L59	1	"5930508".pn.	USPAT
91	BRS	L96	1	"6317820".pn.	USPAT
92	BRS	L97	1	"6697774".pn.	USPAT
93	BRS	L98	1	"5761470".pn.	USPAT
94	BRS	L99	1	sharangpani.in. and stop adj bit	USPAT
95	BRS	L100	1	"5930508".pn.	USPAT

	Type	L #	Hits	Search Text	DBs
96	BRS	L16	3	suppres\$4. with WAW	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
97	BRS	L17	6	bypass\$3 with WAW	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
98	BRS	L20	6	gochman.in. and stack	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
99	BRS	L21	10	return adj address with (first adj stack) with (second adj stack)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
100	BRS	L26	2	(return adj address) with (multiple adj stack\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
101	BRS	L28	48	(return adj address) with stack with exception	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
102	BRS	L30	41	(return adj address) with stack near4 compar\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
103	BRS	L31	6	((return adj address) with stack near4 compar\$3) and exception	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
104	BRS	L32	2	"6351796".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
105	BRS	L33	2	"6374350".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
106	BRS	L34	2	"5604877".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
107	BRS	L36	5	stack near2 overflow near2 management	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B



	Type	L #	Hits	Search Text	DBs
108	BRS	L60	2	(return adj address) with (multiple adj stack\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
109	BRS	L61	3	suppres\$4 with WAW	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
110	BRS	L62	6	bypass\$3 with WAW	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
111	BRS	L63	6	gochman.in. and stack	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
112	BRS	L64	10	return adj address with (first adj stack) with (second adj stack)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
113	BRS	L65	48	(return adj address) with stack with exception	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
114	BRS	L66	41	(return adj address) with stack near4 compar\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
115	BRS	L67	6	((return adj address) with stack near4 compar\$3) and exception	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
116	BRS	L68	2	"6351796".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
117	BRS	L69	2	"6374350".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
118	BRS	L70	2	"5604877".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
119	BRS	L71	2	"6289444".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
120	BRS	L101	2	(return adj address) with (multiple adj stack\$3)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
121	BRS	L102	3	suppres\$4 with WAW	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
122	BRS	L103	6	bypass\$3 with WAW	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
123	BRS	L104	6	gochman.in. and stack	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
124	BRS	L105	10	return adj address with (first adj stack) with (second adj stack)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
125	BRS	L106	48	(return adj address) with stack with exception	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
126	BRS	L107	41	(return adj address) with stack near4 compar\$3	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
127	BRS	L108	6	((return adj address) with stack near4 compar\$3) and exception	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
128	BRS	L109	2	"6351796".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
129	BRS	L110	2	"6374350".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
130	BRS	L111	2	"5604877".pn.	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
131	BRS	L115	66	buffer adj overflow adj attack and stack and address	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
132	BRS	L118	3	L116 and (buffer near2 overflow)	USPAT



	Type	L #	Hits	Search Text	DBs
133	BRS	L119	49	branch adj control adj bit	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
134	BRS	L121	23	branch near2 condition near2 register near2 bit	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
135	BRS	L137	39	branch near2 condition with register with bit with value	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
136	BRS	L40	198	(buffer or stack) near2 overflow near2 (management or prevent\$3) and call and address	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
137	BRS	L127	253	L125 and (carry near2 bit)	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
138	BRS	L122	418	condition adj code adj register with bit	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

	Type	L #	Hits	Search Text	DBs
139	BRS	L129	460	L128 and L124	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B
140	BRS	L133	1182	L126 and branch	US- PGPUB; USPAT; USOCR; EPO; JPO; DERWEN T; IBM_TD B

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☒ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**